*Weed Research*, 1992, Volume 32, 507–510

# AUTHOR INDEX

AMPONG-NYARKO K., DE DATTA S.K. & DINGKUHN M. Physiological response of rice and weeds to low light intensity at different growth stages, 465
AYRES P.G. *see* Perera *et al.*, 67; PERERA & AYRES, 329

BABIKER A.G.T., PARKER C. & SUTTLE J.C. Induction of *Striga* seed germination by thiduazuron, 243
BALDONI G. *see* BERTI *et al.*, 39
BALINOVA A.M. & LALOVA M.P. Translocation, metabolism and residues of fluazifop-butyl in soybean plants, 143
BALKE N.E. *see* ROYNBERG *et al.*, 419
BARRALIS G. *see* DESSAINT *et al.*, 95
BASTIDE J. *see* CAMBON *et al.*, 1; CAMBON & BASTIDE, 357; VEGA *et al.*, 149
BAYER D.E. *see* ELMORE & BAYER, 77
BELAID D. *see* CORBINEAU *et al.*, 303
BERTI A., ZANIN G., BALDONI G., GRIGNANI C., MAZZONCINI M., MONTEMURRO P., TEI F., VAZZANA C. & VIGGIANI P. Frequency distribution of weed counts and applicability of a sequential sampling method to integrated weed management, 39
BEURET E. *see* DESSAINT *et al.*, 95

CAIXINHAS M.L. *see* DESSAINT *et al.*, 95
CAMBON J.P. & BASTIDE J. Dégradation chimique ou micobiologique des sulfonylurées dans le sol. III. Cas du thifensulfuron méthyle, 357
CAMBON J.P., ZHENG S.Q. & BASTIDE J. Dégradation chimique ou microbiologique des suphonylurées dans le sol. I. Cas du sulfométuron méthyle, 1
CATIZONE P. *see* ZANIN *et al.*, 407
CHAMEL A. *see* SAMB & CHAMEL, 129; SANTIER & CHAMEL, 337
CHUECA M.C. *see* GARCIA-BAUDIN *et al.*, 275
CÔME D. *see* GUTTERMAN *et al.*, 111
CORBINEAU F., BELAID D. & COME D. Dormancy of *Bromus rubens* L. seeds in relation to temperature, light and oxygen effects, 303
CORBINEAU F. *see* GUTTERMAN *et al.*, 111
CORDES R.C. *see* LEHMANN *et al.*, 197

DE DATTA S.K. *see* AMPONG-NYARKO *et al.*, 465
DESSAINT F., BARRALIS G., BEURET E., CAIXINHAS M.L., POST B.J. & ZANIN G. Etude coopérative EWRS: la détermination du potential semencier: II. Estimation de la précision relative sur la moyenne à partir de composites, 95
DINGKUHN M. *see* AMPONG-NYARKO *see* , 465
DONALD W.W. Herbicidal control of *Cirsium arvense* (L.) Scop. roots and shoots in no-till spring wheat (*Triticum aestivum* L.), 259

EAVES D.M. *see* LEVESQUE *et al.*, 363
EDGERTON B.M. *see* HOLLOWAY & EDGERTON, 183
ELMORE C.L. & BAYER D.E. Mitotic and structural effects of nitralin and butralin on ryegrass (*Lolium perenne* L.) root meristems, 77
EVERAARTS A.P. Response of weeds to application of nitrogen, phosphorus and potassium on low-fertility acid soils in Suriname, 385
EVERAARTS A.P. Response of weeds to the method of fertilizer application on low-fertility acid soils in Suriname, 391
EXLEY D.M. & SNAYDON R.W. Effects of nitrogen fertilizer and emergence date on root and shoot competition between wheat and blackgrass, 175

FONTAINE D.D. *see* LEHMANN *et al.*, 197
FORCELLA F. Prediction of weed seedling densities from buried seed reserves, 29
FUKS B., VAN EYCKEN F. & LANNOYE R. Tolerance of triazine-resistant and susceptible biotypes of three weeds to heat stress: a fluorescence study, 9

GARCIA-BAUDIN J.M., SANCHEZ-BRUNETE C., SALTO T., CHUECA M.C. & TADEO J.L. Enhancement of wheat tolerance to triallate with the safener MON 5501, 275
GAUVRIT C. *see* URVOY *et al.*, 375
GRIGNANI C. *see* BERTI *et al.*, 39
DE GROOTS W. *see* KROPFF *et al.*, 451
GUNASENA H.P.M. PERERA *et al.*, 67
GUTTERMAN Y., CORBINEAU F. & COME D. Interrelated effects of temperature, light and oxygen on *Amaranthus caudatus* seed germination, 111

HART J.J., RADOSOVICH S.R. & STEMLER A. Influence of light intensity on growth of triazine-resistant rapeseed (*Brassica napus*), 349
HOLLOWAY P.J. & EDGERTON B.M. Effects of formulation with different adjuvants on foliar uptake of difenzoquat and 2,4-D: model experiments with wild oat and field bean, 183
HUNTER J.H. *see* LEHMANN *et al.*, 197

JEANGROS B. & NORSBERGER J. Comparison of the growth response of *Rumex obtusifolius* L. and *Lolium perenne* L. to photon flux density, 311
JENSEN P.J. Split application of herbicides in peas, 295
JOENJE W. *see* KROPFF *et al.*, 451

KIGEL J., LIOR E., ZAMIR L. & RUBIN B. Biology of reproduction in the summer annual weed *Euphorbia geniculata* Ortega, 317
KROPFF M.J. & SPITTERS C.J.T. An eco-physiological model for interspecific competition, applied to the influence of *Chenopodium album* L. on sugar beet. I. Model description and parameterization, 437
KROPFF M.J., SPITTERS C.J.T., SCHNIEDERS B.J., JOENJE W. & DE GROOTS W. An eco-physiological model for interspecific competition, applied to the influence of *Chenopodium album* L. on sugar beet. II. Model evaluation, 451

LALOVA M.P. *see* BALINOVA & LALOVA, 143
LANNOYE R. *see* FUKS *et al.*, 9
LASKOWSKI D.A. *see* LEHMANN *et al.*, 197
LÉGÈRE A. *see* RIOUX & LEGERE, 213
LEHMANN R.G., MILLER J.R., FONTAINE D.D., LASKOWSKI D.A., HUNTER H.J. & CORDES R.C. Degradation of a sulfonamide herbicide as a function of soil sorption, 197
LÉVESQUE C.A., RAHE J.E. & EAVES D.M. The effect of soil heat treatment and microflora on the efficacy of glyphosate in seedlings, 363
LIOR E. *see* KIGEL *et al.*, 317
LUND-HØIE K. *see* ROYNBERG *et al.*, 419

MAILLET J. *see* TRAORE & MAILLET, 279
MALKOMES H.-P. Herbizideinflusse auf mikrobielle Aktivitaten im Boden unter variierten ökologischen Bedingungen: Abhangigkeit von der Bodenfeuchte, 221
MALKOMES H.-P. Herbizideinflusse auf mikrobielle aktivitaten im boden unter variierten ökoligischen Bedingungen: Abhangigkeit von der Bodentemperatur, 231
MAZZONCINI M. *see* BERTI *et al.*, 39
MICHAEL P.W. *see* SINDEL & MICHAEL, 399
MILLER J.R. *see* LEHMANN *et al.*, 197
MONTEMURRO P. *see* BERTI *et al.*, 39

MORGAN T.R. *see* POWLES *et al.*, 207
MORGAN W.C. & MORGANS A.S. Potential use of activated carbon as a protectant against pre-emergence herbicides in direct-seeded processing tomatoes, 87
MORGANS A.S. *see* MORGAN & MORGANS, 87
MOSCA G. *see* ZANIN *et al.*, 407

NICHOLSON K.S. *see* WARDLE *et al.*, 119
NÖSBERGER J. *see* JEANGROS & NÖSBERGER, 311

OPPONG F.K. & SAGAR G.R. The activity of mobility of triasulfuron in soil as influenced by organic matter, duration, amount and frequency of rain, 157
OPPONG F.K. & SAGAR G.R. Degradation of triasulfuron in soil under laboratory conditions, 167

PARKER C. *see* BABIKER *et al.*, 243
PERERA K.K. & AYRES P.G. Effects of shepherd's purse (*Capsella bursa-pastoris* L. Medic.) on the growth of radish (*Raphanus sativus* L.), 329
PERERA K.K., AYRES P.G. & GUNASENA H.P.M. Root growth and the relative importance of root and shoot competition in interactions between rice (*Orzyra sativa*) and *Echinochloa crus-galli*, 67
POLLACSEK M. *see* URVOY *et al.*, 375
POST B.J. *see* DESSAINT *et al.*, 95
POULAIN C. *see* VEGA *et al.*, 149
POWLES S.B., TUCKER E.S. & MORGAN T.R. Eradication of paraquat-resistant *Hordeum glaucum* Steud. by prevention of seed production for three years, 207

RADOSEVICH S.R. *see* HART *et al.*, 349
RAHE J.E. *see* LEVESQUE *et al.*, 363
RAHMAN A. *see* WARDLE *et al.*, 119
RASMUSSEN J. Testing harrows for mechanical control of annual weeds in agricultural crops, 267
RIOUX R. & LEGERE A. Effet de la densite et de la proportion des plantes lors de l'envahissement de la luzerne par *Taraxacum officinale* Weber, 213
RØYNBERG T., BALKE N.E. & LUND-HOIE K. Effects of adjuvants and temperature on glyphosate absorption by cultured cells of velvetleaf (*Abutilon theophrastii* Medic.), 419
RUBIN B. *see* KIGEL *et al.*, 317

SABADIE J. Réactivé de l'herbicide chlorosulfuron: synthèse et structure de ses produits de dégradation, 137
SABADIE J. Dégradation de l'herbicide chlorosulfuron déposé sur divers supports minéraux, 429
SAGAR R.G. *see* OPPONG & SAGAR, 157, 167
SALONEN J. Efficacy of reduced herbicide doses in spring cereals of different competitive ability, 483
SALONEN J. Yield responses of spring cereals to reduced herbicide doses, 493
SALTO T. *see* GARCIA-BAUDIN *et al.*, 275
SAMB P.I. & CHAMEL A. Foliar absorption and translocation of $^{14}$C-dicamba into host (pearl millet and cowpea) and parasite plants of the genus *Striga*, 129
SANCHEZ-BRUNETE C. *see* GARCIA-BAUDIN *et al.*, 275
SANTIER S. & CHAMEL A. Penetration of glyphosate and diuron into and through isolated plant cuticles, 337
SATORRE E.H. & SNAYDON R.W. A comparison of root and shoot competition between spring cereals and *Avena fatua* L., 45
SCHIEDERS B.J. *see* KROPFF *et al.*, 451
SHAW D.R. *see* SMITH *et al.*, 103
SINDEL B.M. & MICHAEL P.W. Growth and competitiveness of *Senecio madagascariensis* Poir. (fireweed) in relation to fertilizer use and increases in soil fertility, 399

SMITH C.A., SHAW D.R. & NEWSOM L.J. Arrowleaf sida (*Sida rhombifolia*) and prickly sida (*Sida spinosa*): germination and emergence, 103
SNAYDON R.W. *see* SATORRE & SNAYDON, 45; EXLEY & SNAYDON, 175
SPITTERS C.J.T. *see* KROPFF & SPITTERS, 437; KROPFF *et al.*, 451
STEMLER A. *see* HART *et al.*, 349
SUTTLE J.C. *see* BABIKER *et al.*, 243

TADEO J.L. *see* GARCIA-BAUDIN *et al.*, 275
TEI F. *see* BERTI *et al.*, 39
TRAORE H. & MAILLET J. Flore adventice des cultures cerealieres annuelles du Burkina Faso, 279
TUCKER E.S. *see* POWLES *et al.*, 207

URVOY C., POLLACSEK M. & GAUVRIT C. Seed oils as additives: penetration of triolein, methyloleate and diclofop-methyl in maize leaves, 375

VAN EYCKEN F. *see* FUKS *et al.*, 9
VAN LEEUWEN P.H. *see* VAN OORSCHOT & VAN LEEUWEN, 473
VAN OORSCHOT J.P.L. & VAN LEEUWEN P.H. Use of fluorescence induction to diagnose resistance of *Alopercus myosuroides* Huds. (blackgrass) to chlorotoluron, 473
VAZZANA C. *see* BERTI *et al.*, 39
VEGA D., BASTIDE J. & POULAIN C. Dégradation chimique ou microbiologique des sulfonylurées dans le sol. II. Cas du metsulfuron méthyle, 149
VEZINA L. Influence de la date de semis sur la compétition de peuplements de *Setaria pumila* et d'*Echinochloa crus-galli* avec l'orge et le blé de printemps, 57
VIGGIANI P. *see* BERTI *et al.*, 39

WARDLE D.A., NICHOLSON K.S. & RAHMAN A. Influence of pasture grass and legume swards on seedling emergence and growth of *Cardus nutans* L. and *Cirsium vulgare* L., 119
VAN DER WEIDE R.Y. Phenology of arable and hedgerow populations of *Galium aparine* L. in relation to climate and soil conditions, 249

WELCH S.J. *see* WALKER & WELCH, 19.

ZAMIR L. *see* KIGEL *et al.*, 317
ZANIN G., MOSCA G. & CATIZONE P. A profile of the potential flora in maize fields in the Po valley, 407
ZANIN G. *see* BERTI *et al.*, 39; DESSAINT *et al.*, 95
ZHENG S.Q. *see* CAMBON *et al.*, 1